

# NOMA PACK®

---

## PRODUCT OVERVIEW



SOLUTIONS  
FOR INDUSTRIES



# **NOMAPACK®**

by







[www.nmc-nomafoam.com](http://www.nmc-nomafoam.com)

# INDEX

<b>NOMAPACK®</b>	<b>7</b>
Applications	8
Functions	9
Sustainability	10

<b>NOMAPACK® U</b>	<b>12</b>
NOMAPACK® U TULIP	 13
NOMAPACK® U MULTISHAPE	 14
NOMAPACK® U TULIP CORNER	 15
NOMAPACK® U TULIP STRETCH	 16
NOMAPACK® U TULIP STRETCH CORNER	 16
NOMAPACK® U TULIP LONG LEGS	 17
NOMAPACK® U TULIP 45-70	 18
NOMAPACK® U 100-125/120	 18
NOMAPACK® U CLASSIC	 19
NOMAPACK® U 0-3	 20
NOMAPACK® U 0-6	 20
NOMAPACK® U 6-12	 21
NOMAPACK® U 8-12	 21
NOMAPACK® U 12-18	 22
NOMAPACK® U EXTRA PADDING	 22
NOMAPACK® U HD	 23
NOMAPACK® U FEP	 23

<b>NOMAPACK® WS</b>	<b>24</b>
NOMAPACK® WS 33 x 26 BC/CBC	 25
NOMAPACK® WS 33 x 26 CYC	 25
NOMAPACK® WS 33 x 26 EDGE PAD YC	 26
NOMAPACK® WS 33 x 26 EDGE PAD CYC	 26
NOMAPACK® WS CORNER 70°	 27
NOMAPACK® WS CORNER 90°	 27
NOMAPACK® WS 35 x 26	 28
NOMAPACK® WS 45 x 26	 28
NOMAPACK® WS 40 x 30	 29
NOMAPACK® WS 60 x 30	 29

<b>NOMAPACK® L</b>	<b>30</b>
NOMAPACK® L	 31
NOMAPACK® L HMR	 31
NOMAPACK® L 135 x 67-10/70 mm HMP	 32
NOMAPACK® L 65 x 65-10	 33

# INDEX

## NOMAPACK® PAD

NOMAPACK® PAD	35
NOMAPACK® PAD HALFMOON	37
NOMAPACK® 25 mm	38
NOMAPACK® GLASS PAD	39



## 34

## NOMAPACK® O

NOMAPACK® O UNSLIT 5 mm	42
NOMAPACK® O SLIT 9 mm	43
NOMAPACK® O PRESPLIT	44
NOMAPACK® O PRESPLIT 9 mm	44
NOMAPACK® O PRESPLIT 13 mm	45
NOMAPACK® O PRESPLIT 20 mm	45
NOMAPACK® O PRESPLIT 25 mm	46
NOMAPACK® O ROUND	47
NOMAPACK® O ROUND CUT CORNER	48



## 41

## NOMAPACK® SYSTEM


NOMAPACK® SYSTEM	50
NOMAPACK® SYSTEM HD	50



## 49

## NOMAPACK® C

NOMAPACK® C 25 x 10-10	52
NOMAPACK® C Rectangular	52
NOMAPACK® C BTH	53



## 51

## NOMA® PROTECT

NOMA® PROTECT TUFF PAD	56
NOMA® PROTECT	58
TEMPORARY PROTECTION	60
NOMA® PROTECT WARNING PROFILES	60



## 54

## NOMAFOAM®

PROCESSING	64
NOMATEC®	65
CONVERTING	65

## CONTACT

## 66





ENSURE YOUR  
**VALUABLE  
GOODS**  
ARRIVE IN  
**PERFECT  
CONDITION**

# NOMAPACK®

## **PROTECTIVE SOLUTION AND SHOCK ABSORPTION**

NOMAPACK® offers a wide range of standard products along with many special shapes, and special customised solutions can also be supplied to customers at short notice. NOMAPACK® is indestructible and offers reliable protection for your product against damp, temperature fluctuations and mechanical factors.

NOMAPACK® profiles fits any shape of product, with no need for fixing aids, and they are as light as a feather, which means they save on both space and transport costs. NOMAPACK® is made from environmentally responsible materials, repels dirt and is washable, making it very hygienic. NOMAPACK® contains recycled materials and is also recyclable, meaning it makes a valuable contribution in terms of environmental protection and sustainability.

# APPLICATIONS

## HIGH PERFORMANCE FOAM MATERIALS ARE USED IN ALL SECTORS

NMC foam products provide reliable protection and can be removed completely afterwards. In addition, our solutions can be integrated easily in existing assembly line productions. Therefore: maximum protection and guaranteed product quality from manufacture to delivery to the end customer.



### FURNISHING INDUSTRY

Living comfort according to your needs



### TRANSPORT

For an all-round safe transport and comfortable driving experience



### CIVIL ENGINEERING

Omnipresent in construction and underground engineering



### OFFSHORE INDUSTRY

Safety for people and sea



### WINDOW INDUSTRY

Energy efficient windows secured at the construction site



### SPORT & LEISURE

Fun and safe activities



### PERSONAL PROTECTION

Protected in all circumstances



### CONSUMER ELECTRONICS

Safe transport of valuable components




### MEDICAL ENGINEERING

Comfort and safety in the medical branch



# FUNCTIONS



## INSULATING

Insulation for all purpose



## PROTECTING

For transport, processing and storage



## SOUND PROOFING

Noise prevention and noise protection



## UPHOLSTERY

Comfort thanks to good adaptability



## SEALING

Sealing joints



## FLOATING

Usable on all waters



## LIGHTWEIGHT

A light permanent structure

**HIGH  
PERFORMANCE  
FOAM MATERIALS  
WITH  
MULTI-FACETED  
PROPERTIES**

# WE TAKE RESPONSIBILITY

## SUSTAINABILITY AT NMC

Economic, socially responsible and environmentally conscious behavior go hand in hand here at NMC. These are the three principles that form what is called the „three-pillar model“ of sustainable development. As a family business, we want to ensure that we can handle whatever the future throws at us, and we are relying on tried and tested values and forward-looking thinking in order to maintain our strong economic position on the road ahead.

We are equally mindful of our social responsibility vis-à-vis our customers, our staff and our shareholders. With future generations uppermost in our thoughts, our focus is very much on the needs and wishes of all our stakeholders. We are helping towards securing sustainable mitigation of climate change and environmental protection at several levels simultaneously.

Our record shows that we have consistently striven to improve our products: as long ago as 1988, we first switched to CFC-free production and then shifted our processes away from HCFCs. This made us pioneers in our industry.

## NMC'S COMMITMENT TO CLIMATE PROTECTION

- › Energy from our own photovoltaic system and 100 % green energy
- › Nearly 100 % recycling of production waste
- › Closed water circuits minimize consumption
- › ISO 14001 certification – the international standard for environmental management systems
- › Participation in Operation CleanSweep®





# NOMA PACK®

**100 %**  
RECYCLABLE

---

CONTAINS  
**RECYCLED  
MATERIAL**





# NOMAPACK® U

THE EDGE PROTECTOR FOR EVERY APPLICATION

## PROTECTED AND UNIVERSALLY USABLE

The NOMAPACK® U range consists of effective protection profiles for edges and curves of all types. Thanks to the various dimensions and thicknesses and thanks to the possibility to develop bespoke profiles, you'll always find suitable protection for your product with NOMAPACK® U.

- › Edge protection from 2 to 160 mm
- › Easy fitting Multishape version
- › Patented design

## PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths or coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of  $\pm 2\%$

## APPLICATIONS:

- › Tables and worktops
- › Shelves, storage units and other furniture parts
- › Mirrors, glass plates, ceramic
- › Works of art, framed pictures, etc.





## NOMAPACK® U TULIP

The „original“ – proven and reliable profile.

### COLOUR

Standard blue

### LENGTH

2.000 mm  $\pm 30$  mm



### PACKAGING


Lengths in boxes  
or on coils

### BOXES/COILS ON PALLET

4




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
5 - 15	16 $\pm 2$	7 $\pm 1$	3 $\pm 3$	29 $\pm 2$	560	3002243
15 - 25	24 $\pm 2$	8 $\pm 1$	10 $\pm 3$	35 $\pm 3$	320	3002250
25 - 35	35 $\pm 2$	10 $\pm 1$	20 $\pm 4$	40 $\pm 3$	240	3002257
35 - 45	41 $\pm 2$	12 $\pm 2$	25 $\pm 5$	46 $\pm 3$	180	3002261
45 - 60	57 $\pm 2$	14 $\pm 2$	30 $\pm 5$	60 $\pm 2$	100	3002267
60 - 80	71 $\pm 2$	15 $\pm 2$	45 $\pm 5$	66 $\pm 2$	80	3002279
80 - 100	92 $\pm 3$	18 $\pm 2$	60 $\pm 10$	68 $\pm 3$	72	3002288
100 - 120	120 $\pm 4$	21 $\pm 2$	98 $\pm 10$	80 $\pm 3$	44	3002289
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						
5 - 15	16 $\pm 2$	7 $\pm 1$	3 $\pm 3$	29 $\pm 2$	500	3002241
15 - 25	24 $\pm 2$	8 $\pm 1$	10 $\pm 3$	35 $\pm 3$	220	3002248
$\text{m}^3 / \text{coil} = 0,70$  1200 * 460 mm						





## NOMAPACK® U MULTISHAPE

The high flexibility profile which adapts to every radius and angle thanks to the V-cut. The profile is supplied on coil for self-lengthening.

COLOUR	COILS
Standard blue	ON PALLET
PACKAGING	4
On coils	

Type	A mm	B mm	C mm	D mm	E mm	Packaging unit m	Item code
5-15 MS	16 ±2	7 ±1	3 ±3	29 ±2	150 ±10	480	3002242
15-25 MS	24 ±2	8 ±1	10 ±3	35 ±3	170 ±10	250	3002249
25-35 MS	35 ±2	10 ±1	20 ±4	40 ±3	170 ±10	150	3002255
35-45 MS	41 ±2	12 ±2	25 ±5	46 ±3	170 ±10	140	3002260
$\text{m}^3/\text{S} = 0,70$  1200 * 460 mm							





**NOMAPACK® U TULIP CORNER**

The easy to fix corner protection, available in various cushioning thicknesses.

**COLOUR**

Standard blue

**BOXES ON PALLET**


8 to NOMAPACK® U Tulip Corner 35-45

**PACKAGING**

Pieces in boxes

3 from NOMAPACK® U Tulip Corner 45-60

Type	A mm	B mm	C mm	D mm	E=F mm	Packaging unit pcs	Item code
5-15	16 ±2	7 ±1	3 ±3	29 ±2	100 ±10	900	3002163
15-25	24 ±2	8 ±1	10 ±3	35 ±3	100 ±10	600	3002166
25-35	35 ±2	10 ±1	20 ±4	41 ±3	100 ±10	450	3002168
35-45	41 ±2	12 ±2	25 ±5	46 ±3	100 ±10	300	3002170
m³/ = 0,27  785 * 585 * 585 mm							
45-60	57 ±2	14 ±2	30 ±5	60 ±2	100 ±10	500	3002173
60-80	71 ±2	15 ±2	45 ±5	66 ±2	100 ±10	400	3002175
80-100	92 ±3	18 ±2	60 ±10	68 ±3	100 ±10	280	3002178
m³/ = 0,66  1190 * 790 * 700 mm							







## NOMAPACK® U TULIP STRETCH

The „original“ – proven profile with patented stretch system for widths up to 160 mm.

### COLOUR

Standard blue

### LENGTH


2.000 mm  $\pm 30$  mm


### PACKAGING

Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100-120 Stretch	120-160	21 $\pm 2$	100-140	80 $\pm 3$	44	3002290
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						

## NOMAPACK® U TULIP STRETCH CORNER

### COLOUR


Standard blue



### PACKAGING

Pieces in boxes

### BOXES ON PALLET

3



Type	A	B	C	D	E = F	Packaging unit	Item code
	mm	mm	mm	mm	mm	pcs	
100- 120 Stretch	120- 160	21 ±2	100- 140	80 ±3	200 ±10	120	3002179
m³/  = 0,66  1190 * 790 * 700 mm							



**NOMAPACK® U TULIP  
LONG LEGS**

The profile with extended legs  
for tapered corners and angles.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
0 - 30/70	29 ±2	14 ±1	0	94 ±6	100	3002262
30 - 40/70	38 ±2	14 ±1	26 ±10	84 ±5	100	3002266

m<sup>3</sup>/ = 0,50

2040 \* 590 \* 390 mm

## NOMAPACK® U TULIP 45-70

The profile with longer legs for greater protection.

### COLOUR

Standard blue

### LENGTH

2.000 mm  $\pm 30$  mm


### PACKAGING


Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
45 - 70	70 $\pm 2$	18 $\pm 2$	30 $\pm 10$	131 $\pm 5$	44	3002278
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						



## NOMAPACK® U 100-125/120

The special edge protection for large products.

### COLOUR

Standard blue

### LENGTH

2.000 mm  $\pm 30$  mm


### PACKAGING

Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
100 - 125/120	124 $\pm 4$	19 $\pm 2$	90 $\pm 20$	123 $\pm 3$	32	3016555
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						

**NOMAPACK® U CLASSIC**

The „classic“ profile.

**COLOUR**

Standard blue

**LENGTH**


2.000 mm  $\pm$ 30 mm

**PACKAGING**

Lengths in boxes

**BOXES ON PALLET**

4





Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
10 - 20	17 $\pm$ 2	10,5 $\pm$ 1	5 $\pm$ 3	30 $\pm$ 5	420	3002246
20 - 35	31 $\pm$ 2	12 $\pm$ 1	12 $\pm$ 4	45 $\pm$ 5	210	3002259
30 - 45	41 $\pm$ 2	15 $\pm$ 1	20 $\pm$ 5	48 $\pm$ 5	160	3002275
45 - 65	60 $\pm$ 2	15 $\pm$ 1	30 $\pm$ 8	57 $\pm$ 5	92	3002277
60 - 85	80 $\pm$ 3	15 $\pm$ 1	40 $\pm$ 10	58 $\pm$ 5	90	3002281

$\text{m}^3 / \text{box} = 0,50$

2040 \* 590 \* 390 mm





### NOMAPACK® U 0-3

Special edge-protection for narrow products up to 3 mm. Prevents bends against sharp edges. The profile is supplied on coil for self-lengthening.



#### COLOUR


Grey

#### PACKAGING

On coils

#### COILS ON PALLET

4

Type	A mm	B mm	D mm	Packaging unit m	Item code
0 - 3	20 ±2	11 ±1	32 ±2	590	3002253
$m^3 / \text{coil} = 0,70$  1200 * 460 mm					

### NOMAPACK® U 0-6

Thanks to its high cushioning thickness, this is the ideal profile for sensitive goods.

#### COLOUR


Grey



#### PACKAGING

Lengths in boxes or on coils


#### BOXES/COILS ON PALLET

4



Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
0 - 6/2 m*	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002269
$m^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						*2.000 mm ±30mm
0 - 6	28,5 ±1	14,5 ±1	37 ±1	13 ±1	320	3002270
$m^3 / \text{coil} = 0,70$  1200 * 460 mm						





### NOMAPACK® U 6-12

The Profile for products with a thickness from 6 to 12 mm. Especially suitable for products with bead or seals. It is also available with an inside PE reinforcement. The profile is supplied on coil for self-lengthening.



#### COLOUR


Standard blue

#### PACKAGING

On coils

#### COILS ON PALLET

4

Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
6 - 12	33 ±2	15 ±1	40 ±2	12 ±1	240	3002271
6 - 12 E-P*	33 ±2	15 ±1	40 ±2	12 ±1	240	3002272
6 - 12 CBC**	33 ±2	15 ±1	40 ±2	12 ±1	240	3002273
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm						

### NOMAPACK® U 8-12

A small profile with longer legs, ideal for ground glass edges. The profile is supplied on coil for self-lengthening.

#### COLOUR

Standard blue


#### PACKAGING

On coils

#### COILS ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
8 - 12	11,5 ±1	7 ±1	0 +3	30 ±5	550	3002244
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm						

\* E-P = Edge-Pad = V-Cut and perforations all 160 mm (±1.500 pcs/coil)  
\*\* CBC= with inside reinforcement (coextrusion)



## NOMAPACK® U 12-18

The profile for Sensitive edges with a thickness from 12 to 18 mm.

### COLOUR

Standard blue

### LENGTH

2.000 mm  $\pm 30$  mm


### PACKAGING

Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
12 - 18	45 $\pm 2$	20 $\pm 1$	23 $\pm 2$	56 $\pm 2$	140	3002283
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						

## NOMAPACK® U EXTRA PADDING

The profile with an optimal padding for heavy goods. Perfect for single or stacked goods protection.

### COLOUR

Standard blue

### LENGTH

2.000 mm  $\pm 30$  mm


### PACKAGING

Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
15 - 25/80	20 $\pm 1$	30 $\pm 2$	7 $\pm 5$	83 $\pm 3$	90	3002294
30 - 38/60*	32 $\pm 2$	19 $\pm 1,5$	20 $\pm 6$	60 $\pm 2$	140	3002287
30 - 45/55	41 $\pm 3$	25 $\pm 2$	22 $\pm 5$	73 $\pm 6$	80	3002293
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm						



## NOMAPACK® U HD

The ideal profile for heavy objects that requires a high compressive strength.

### COLOUR

Standard blue

### LENGTH

2.000 mm ±30 mm

### PACKAGING


Lengths in boxes


### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
20 - 30	31 ±3	18 ±1	28 ±3	48 ±2	180	3002282
35 - 50	45 ±2	18 ±1	24 ±3	50 ±2	140	3002286

$\text{m}^3 / \text{box} = 0,50$ 
 2040 \* 590 \* 390 mm



## NOMAPACK® U FEP

The versatile protective profile with a particularly large internal diameter.

### COLOUR

Standard blue

### LENGTH

2.000 mm ±30 mm

### PACKAGING


Lengths in boxes

### BOXES ON PALLET

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
FEP	65 ±5	9 ±1	5 ±5	65 ±5	120	3002245

$\text{m}^3 / \text{box} = 0,50$ 
 2040 \* 590 \* 390 mm



# NOMAPACK® WS

**BREAK-PROOF FROM A TO B**

## THE EDGE PROTECTOR FOR GLASS, SHEET METAL AND NARROW EDGES

NOMAPACK® WS is the innovative transport protector for windscreens and glass products. The additional inner hole reinforcement prevents sharp edges from piercing the profile and thus offers perfect protection for your product. An extensive range of tool accessories facilitate the processing of the NOMAPACK® WS profile.

- › Patented glass edge protection
- › Unique profiles, with inside reinforcement
- › Efficient protection against scratches and breaks

## PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as coils
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › The tolerance of the length of the coils is up to a maximum of  $\pm 2\%$

## APPLICATIONS:

- › Glass edges
- › Windscreens
- › Heavy and sharp goods

**NOMAPACK® WS 33X26 BC/CBC**

Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. Available with or without inside reinforcement. The profile is supplied on coil for self-lengthening.

**COLOUR**


Standard blue


**PACKAGING**

On coils

**COILS ON PALLET**

4



Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
33 x 26 BC	26 ±1	12 ±1	0-3	33 ±1	460	3002305
33 x 26 CBC*	26 ±1	12 ±1	0-3	33,5 ±1	460	3002306
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm						

**NOMAPACK® WS 33X26 CYC**

Specially designed profile for windscreens without a rubber lip and for thicknesses from 3 to 6 mm. The profile is supplied on coil for self-lengthening.

**COLOUR**

Yellow


**PACKAGING**

On coils


**COILS ON PALLET**

4




Type	A mm	B mm	C mm	D mm	Packaging unit m	Item code
33 x 26 CYC*	26 ±1	12 ±1	0-3	33 ±1	460	3002301
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm						

\*CBC/CYC = with inside reinforcement (coextrusion)



### NOMAPACK® WS 33X26 EDGE PAD YC


The profile for glass, mirrors and sensitive metal parts. It efficiently protects fragile goods during transport. The profile is supplied on coil for self-lengthening.



**COLOUR**  
Yellow

**PACKAGING**  
On coils

**COILS ON PALLET**  
4

Type	A mm	B mm	D mm	E mm	Packaging unit m	Item code
33 x 26 E-P* YC	25 ±1	11 +1	33 ±1	160 ±7	460	3002300
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm						


### NOMAPACK® WS 33X26 EDGE PAD CYC



The Pre-cut profile with patented inner reinforcement which provides effective protection for glass, mirrors and sensitive metal parts. The profile is supplied on coil for self-lengthening.

**COLOUR**  
Yellow

**PACKAGING**  
On coils

**COILS ON PALLET**  
4




Type	A	B	C	D	E	Packaging unit	Item code
	mm	mm	mm	mm	mm	m	
33 x 26 E-P* CYC**	26 ±1	13 ±1	3	33 ±1	160 ±7	460	3002302
m³/  = 0,70  1200 * 460 mm							


\* E-P = Edge-Pad = V-Cut and perforations all 160 mm (±2.875 pcs/coil) \*\* CYC = with inside reinforcement (coextrusion)

**NOMAPACK® WS CORNER 70° CY**

The easy to fix corner with inside reinforcement. Other dimensions are available on request.

<b>COLOUR</b>	<b>LENGTH</b>
Yellow	50x50 mm ±5 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Pieces in boxes	8






Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
50 x 50 CY*	26 ±1	12 ±1	2,5	33 ±1	2.000	3008936
$\text{m}^3 / \text{box} = 0,17$  $\text{box} = 600 * 400 * 700 \text{ mm}$						

**NOMAPACK® WS CORNER 90° CB**

The easy to fix corner with inside reinforcement.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	100x100 mm ±5 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Pieces in boxes	8



Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Item code
100 x 100 CB*	26 ±1	12 ±1	3	33,5 ±1	775	3038245
$\text{m}^3 / \text{box} = 0,26$  $\text{box} = 785 * 585 * 585 \text{ mm}$						

\*CB/CY = with inside reinforcement (coextrusion)



## NOMAPACK® WS 35X26 BC/CBC

The „Universal“ transport profile with a specially developed inner-shape that adapts itself to all types of windscreens with or without a rubber lip. The profile is supplied on coil for self-lengthening.

### COLOUR


Standard blue

### PACKAGING

On coils

### COILS ON PALLET


4



Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit m	Item code
35 x 26 BC	26 ±1	12 ±1	3	35 ±2	12 ±1	16 ±1	350	3002310
35 x 26 CBC*	26 ±1	12 ±1	3	35 ±2	12 ±1	16 ±1	350	3002311

m³/ = 0,70

1200 \* 460 mm



## NOMAPACK® WS 45X26 CBC

The transport profile that adapts itself to all types of windscreens without a rubber lip. The profile is supplied on coil for self-lengthening.

### COLOUR

Standard blue

### PACKAGING

On coils

### COILS ON PALLET

4



Type	A mm	B mm	C mm	D mm	E mm	G mm	H mm	Packaging unit m	Item code
45 x 26 CBC*	26 ±1	10 ±1	3	46 ±2	11 ±1	22 ±1	10 ±1	290	3003842

m³/ = 0,70

1200 \* 460 mm

**NOMAPACK® WS 40X30 CBC**

The ideal profile for windscreens with a rubber lip on the inner side. The profile is supplied on coil for self-lengthening.

**COLOUR**

Dark blue


**COILS**


ON PALLET


4

**PACKAGING**

On coils



Type	A mm	B mm	C mm	D mm	E mm	G mm	Packaging unit m	Item code
40 x 30 CBC*	34 ±2	21 ±1	6	42 ±2	18 ±1	8 ±1	270	3002312
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm								

**NOMAPACK® WS 60X30 CBC**

The ideal profile for windscreens with a seal in the outside part of the glass panel. The profile is supplied on coil for self-lengthening.

**COLOUR**

Standard blue

**COILS**


ON PALLET

4

**PACKAGING**

On coils



Type	A mm	B mm	C mm	D mm	E mm	H mm	Packaging unit m	Item code
60 x 30 CBC*	31 ±2	10 ±1	5,6	61 ±3	16 ±1	13,5 ±1	200	3002314
$\text{m}^3/\text{coil} = 0,70$  1200 * 460 mm								

\*CBC = with inside reinforcement (coextrusion)



# NOMAPACK® L

**THE RELIABLE PROTECTION FOR CORNERS AND EDGES**

NOMAPACK® L provides reliable protection for corners and edges made of glass, wood, plastic or metal.


- › Available in various lengths and thicknesses
- › With or without adhesive

## PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

## APPLICATIONS:

- › Corners and edges
- › Narrow and scratch-sensitive goods
- › Can be used in shrinking tunnels




## NOMAPACK® L

Fast, inexpensive and reliable protection.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4





Type	A mm	B mm	C mm	Packaging unit m	Item code
50 x 50 - 6	50 ±2	50 ±2	6 ±1	480	3002207
75 x 75 - 10	75 ±3	75 ±3	10 ±1	210	3002210
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm					

## NOMAPACK® L HMR

The profile with residue-free removable adhesive (white release).

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4



Type	A mm	B mm	C mm	Packaging unit m	Item code
50 x 50 - 6 HMR*	50 ±2	50 ±2	6 ±1	480	3002208
75 x 75 - 10 HMR*	75 ±3	75 ±3	10 ±1	210	3002211
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm					

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product

\* HMR = removable adhesive (white Release)



## NOMAPACK® L 135X67-10/70 HMP

The easy to fix profile with permanent adhesive.

### COLOUR

Standard blue

### LENGTH



70 mm ±10 mm

### PACKAGING

Pieces in boxes


### BOXES ON PALLET

3

Type	A mm	B mm	C mm	D mm	E mm	F mm	Packaging unit pcs	m	Item code
L 135 x 67 HMP*	135 ±4	63 ±2	10 ±1	17 ±1,5	29	40	1200	84	3008999
$\text{m}^3 / \text{box} = 0,66$   1190 * 790 * 700 mm									



\* HMP = permanent adhesive



**NOMAPACK® L 65X65-10**

The easy to fix Rim Profile.



**COLOUR**  
Standard blue

**LENGTH**  
Welded ring

**PACKAGING**  
Pieces in boxes

**BOXES**  
**ON PALLET**  
8



Type	A mm	B mm	C mm	Packaging unit pcs	Item code
L 65x65-10*	65 ±5	65 ±5	10 ±2	60	3037217
m³/  = 0,27					
 785 * 585 * 585 mm					

\*other dimensions on request





# NOMAPACK® PAD

TRANSPORT CUSHION WITH BIG IMPACT

NOMAPACK® PAD is a spacer available in various dimensions with removable or permanent glue. It is a spacer pad for separating sensitive goods or fixing them in place. The pads are pre-punched so that the desired length can be cut off simply and cleanly.

- › Available with or without adhesive in various lengths and thicknesses


#### PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

#### APPLICATIONS:

- › Cushioning
- › Spacing
- › Fixation






### NOMAPACK® PAD


The spacer profile with removable (HMR) or permanent (HMP) adhesive. It has a good compression set.

COLOUR	LENGTH
Standard blue	1.150 mm ±20 mm
PACKAGING	BOXES ON PALLET
Pieces in boxes	3

### Removable adhesive (white Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
50 x 10 HMR	50 ±3	10 ±2	50 ±8**	16.100	805	3002213
50 x 20 HMR	50 ±3	20 ±2	50 ±8**	10.350	518	3002215
50 x 50 HMR	50 ±3	50 ±3	50 ±8	4.025	201	3002232
65 x 25 HMR	65 ±3	25 ±2	64 ±8	4.950	317	3002219
100 x 25 HMR	100 ±3	25 ±2	96 ±8	2.160	207	3002220
100 x 50 HMR	100 ±3	50 ±3	96 ±8	1.176	113	3011417

m<sup>3</sup>/ = 0,68

 1190 \* 790 \* 700 mm



We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.  
The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

\* values are rounded up or down    \*\* First and last piece might be out of tolerance (l piece = A x B x C)



### Permanent adhesive (transparent Release)

Type	A mm	B mm	C mm	Packaging unit pcs	Packaging unit* m	Item code
50 x 10 HMP	50 ±3	10 ±2	50 ±8**	16.100	805	3002214
50 x 20 HMP	50 ±3	20 ±2	50 ±8**	10.350	518	3002216
50 x 50 HMP	50 ±3	50 ±3	50 ±8	4.025	201	3002235
65 x 25 HMP	65 ±3	25 ±2	64 ±8	4.950	317	3002223
100 x 25 HMP	100 ±3	25 ±2	96 ±8	2.160	207	3002224
100 x 50 HMP	100 ±3	50 ±3	96 ±8	1.176	113	3011418
<div> <div> <math>m^3 / \text{cube} = 0,68</math> </div> <div>  1190 * 790 * 700 mm </div> </div>						

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk.

The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

\* values are rounded up or down  
\*\* First and last piece might be out of tolerance (1 piece = A x B x C)





**NOMAPACK® PAD HALFMOON**

The spacer profile with removable (D) or permanent (P) adhesive.

**COLOUR**

Standard blue

**LENGTH**

1.000 mm  $\pm 20$  mm

**PACKAGING**

Pieces in boxes


**BOXES ON PALLET**

8

**Removable adhesive tape (white Release)**

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 D	42 $\pm 1$	50	2.000	100	3002225
50 D	51 $\pm 2$	50	1.200	60	3002229
60 D	58 $\pm 2$	50	1.000	50	3002236


$\text{m}^3 / \text{box} = 0,25$

 1020 \* 600 \* 400 mm

**Permanent adhesive tape (yellow Release)**

Type	A mm	B mm	Packaging unit pcs	Packaging unit m	Item code
40 P	42 $\pm 1$	50	2.000	100	3002228
50 P	51 $\pm 2$	50	1.200	60	3002233
60 P	58 $\pm 2$	50	1.000	50	3002237

$\text{m}^3 / \text{box} = 0,25$

 1020 \* 600 \* 400 mm





### NOMAPACK® PAD 25 mm

The spacer profile with removable (D) or permanent (P) adhesive.

#### COLOUR

Standard blue

#### LENGTH

1.000 mm  $\pm 20$  mm


#### PACKAGING

Pieces in boxes


#### BOXES ON PALLET

8

### Removable adhesive tape (white Release)

Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Packaging unit m	Item code
25/1m D 50 mm	55 $\pm 4$	41 $\pm 2$	25 $\pm 2$	50 $\pm 5$	3.200	160	3002217
$\text{m}^3 / \text{box} = 0,25$  1020 * 590 * 390 mm							

### Permanent adhesive tape (yellow Release)

Type	A mm	B mm	C mm	D mm	Packaging unit pcs	Packaging unit m	Item code
25/1m P 50 mm	55 $\pm 4$	41 $\pm 2$	25 $\pm 2$	50 $\pm 5$	3.200	160	3002222
$\text{m}^3 / \text{box} = 0,25$  1020 * 590 * 390 mm							

# NOMAPACK® GLASS PAD

## SELF-ADHESIVE SPACING PADS

### THE PUNCTIFORM TRANSPORT PROTECTION

NOMAPACK® Glass Pads protect glass panes or panels against scratches, cracks and breakages during any type of transport or storage. NOMAPACK® Glass Pad simply holds due to its suction force and does not leave any residue or trace behind.


### PRODUCT FEATURES:

- › XLPa foam with a self-adhesive white foam layer
- › Supplied as pieces
- › Available in different dimensions and thicknesses

### APPLICATIONS:


- › Distance holders to protect high-polished and sensitive surfaces





## NOMAPACK® GLASS PAD

The spacer pad between glass panels.



### COLOUR





Grey

### PACKAGING

Pieces in boxes

### BOXES ON PALLET

10

Type	A mm	B mm	C mm	Packaging unit pcs	Item code
45x45x 8+2	45 ±1	8 ±1	45 ±1	2.500	3012433
45x45x10+2	45 ±1	10 ±1	45 ±1	2.500	3012435
45x45x12+2	45 ±1	12 ±1	45 ±1	2.500	3012436
$m^3 / \text{box} = 0,13$  600 * 600 * 360 mm					
<b>The following NOMAPACK® Glass Pads are only available with a minimum order quantity of 50.000 pieces.</b>					
20x20x 8+2	20 ±1	8 ±1	20 ±1	2.500	3002335
$m^3 / \text{box} = 0,05$  390 * 395 * 310 mm					
20x20x10+2	20 ±1	10 ±1	20 ±1	2.500	3009231
20x20x12+2	20 ±1	12 ±1	20 ±1	2.500	3009232
$m^3 / \text{box} = 0,08$  610 * 370 * 370 mm					
45x25x 8+2	25 ±1	8 ±1	45 ±1	2.500	3003720
45x25x10+2	25 ±1	10 ±1	45 ±1	2.500	3002337
45x25x12+2	25 ±1	12 ±1	45 ±1	2.500	3009235
$m^3 / \text{box} = 0,13$  600 * 600 * 360 mm					

The pads are packed in bulk in cardboard boxes / two pads glued to each other.

Other sizes and colors are available on request with a minimum order quantity and a corresponding delivery period.

We recommend the adequate tests be made in your laboratory, plant or otherwise to determine if this product meets all your specific requirements. The utilization of the goods shall thus be at the purchaser's own risk. The seller should refuse any responsibility regarding his intervention for direct and/or indirect damage potentially arising from this particular use. Only in case of product default, the seller shall not be liable for damages in excess of the purchase price of the product.

# NOMAPACK® O

## THE ALL-ROUND PROTECTION

NOMAPACK® O offers an extensive selection of round profiles in various diameters and wall thicknesses, which have been specially developed for the protection of round bodies or elongated items.

- › Adaptable to most round bodies
- › Special and total protection for sensitive items

### PRODUCT FEATURES:

- › PE-LD foam
- › Density from 20 kg/m<sup>3</sup> to 35 kg/m<sup>3</sup>
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

### APPLICATIONS:

- › Pieces of furniture
- › Bicycle frames
- › Exercise machines



## NOMAPACK® O UNSLIT 5 mm

The standard profile for round bodies. Other dimensions are available on request.

### COLOUR

Grey

### LENGTH

2.000 mm  $\pm 30$  mm

### PACKAGING

Lengths in boxes


### BOXES ON PALLET

8



Type	A mm	B mm	Packaging unit m	Item code
15 - 5	16 $\pm 3$	5 $\pm 1$	240	3008220
18 - 5	19 $\pm 3$	5 $\pm 1$	200	3001035
22 - 5	23 $\pm 3$	5 $\pm 1$	160	3001036
28 - 5	29 $\pm 3$	5 $\pm 1$	120	3001037
35 - 5	36 $\pm 3$	5 $\pm 1$	80	3001038

m<sup>3</sup> /  = 0,24

 2040 \* 390 \* 290 mm





### NOMAPACK® O SLIT 9 mm

The profile that can be immediately clipped upon the object to protect.

#### COLOUR

Grey

#### LENGTH

2.000 mm  $\pm 30$  mm

#### PACKAGING

Lengths in boxes

#### BOXES ON PALLET

4

Type	A mm	B mm	Packaging unit m	Item code
15 - 9	16 +3	9 $\pm 1,5$	380	3002517
18 - 9	19 +3	9 $\pm 1,5$	330	3002321
22 - 9	23 +3	9 $\pm 1,5$	250	3002322
28 - 9	29 +3	9 $\pm 1,5$	190	3002324
35 - 9	36 +3	9 $\pm 1,5$	150	3002516
42 - 9	44 +4	9 $\pm 1,5$	110	3002419

m<sup>3</sup>/  = 0,50

 2040 \* 590 \* 390 mm



## NOMAPACK® O PRESLIT

The pre-slit profile for round bodies. Other dimensions are available on request.

COLOUR	LENGTH
Grey	2.000 mm $\pm 30$ mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4

Type	A mm	B mm	Packaging unit m	Item code
<b>NOMAPACK® O PRESLIT 9mm</b>				
15 - 9	16 +3	9 $\pm 1,5$	380	3001040
18 - 9	19 +3	9 $\pm 1,5$	330	3001041
22 - 9	23 +3	9 $\pm 1,5$	250	3001042
28 - 9	29 +3	9 $\pm 1,5$	190	3001044
35 - 9	36 +3	9 $\pm 1,5$	150	3001045
42 - 9	44 +4	9 $\pm 1,5$	110	3001046
48 - 9	50 +4	9 $\pm 1,5$	90	3001047
54 - 9	56 +4	9 $\pm 1,5$	70	3001048
60 - 9	62 +4	9 $\pm 1,5$	66	3001049
76 - 9	78 +4	9 $\pm 1,5$	48	3001050
89 - 9	91 +4	9 $\pm 1,5$	40	3001051





Type	A mm	B mm	Packaging unit m	Item code
<b>NOMAPACK® O PRESLIT 13 mm</b>				
15 - 13	16 +3	13 ±2	256	3001053
18 - 13	19 +3	13 ±2	220	3001054
22 - 13	23 +3	13 ±2	180	3001055
28 - 13	29 +3	13 ±2	140	3001056
35 - 13	36 +3	13 ±2	120	3001057
42 - 13	44 +4	13 ±2	90	3001058
48 - 13	50 +4	13 ±2	70	3001059
54 - 13	56 +4	13 ±2	66	3001060
60 - 13	62 +4	13 ±2	48	3001061
76 - 13	78 +4	13 ±2	40	3001062
89 - 13	91 +4	13 ±2	30	3001063
102 - 13	105 +5	13 ±2	24	3001064
114 - 13	117 +5	13 ±2	22	3001065
<b>NOMAPACK® O PRESLIT 20 mm</b>				
15 - 20	16 +3	20 ±2,5	134	3001067
18 - 20	19 +3	20 ±2,5	126	3001068
22 - 20	23 +3	20 ±2,5	108	3001069
28 - 20	29 +3	20 ±2,5	96	3001070
35 - 20	36 +3	20 ±2,5	70	3001071
42 - 20	44 +4	20 ±2,5	60	3001072
48 - 20	50 +4	20 ±2,5	48	3001073

# NOMAPACK®



Type	A mm	B mm	Packaging unit m	Item code
54 - 20	56 +4	20 ±2,5	48	3001074
60 - 20	62 +4	20 ±2,5	40	3001075
76 - 20	78 +4	20 ±2,5	26	3001076
89 - 20	91 +4	20 ±2,5	24	3001077
102 - 20	105 +5	20 ±2,5	20	3001078
114 - 20	117 +5	20 ±2,5	14	3001079

## NOMAPACK® O PRESLIT 25 mm

15 - 25	16 +3	25 ±2,5	90	3008228
18 - 25	19 +3	25 ±2,5	90	3008229
22 - 25	23 +3	25 ±2,5	70	3001080
28 - 25	29 +3	25 ±2,5	66	3001081
35 - 25	36 +3	25 ±2,5	56	3001082
42 - 25	44 +4	25 ±2,5	48	3001083
48 - 25	50 +4	25 ±2,5	40	3003743
60 - 25	62 +4	25 ±2,5	30	3001084
76 - 25	78 +4	25 ±2,5	24	3004271
89 - 25	91 +4	25 ±2,5	16	3008230
114 - 25	117 +5	25 ±2,5	12	3008231

m³/ = 0,50

2040 \* 590 \* 390 mm





**NOMAPACK® O ROUND**

The protective padding for storage and transport. It is also suitable for filling static and dynamic joints with varying degrees of expansions.

<b>COLOUR</b>	<b>BOXES ON PALLET</b>
White	2 for R 75 mm
	& R 100 mm
<b>PACKAGING</b>	
Lengths in boxes	4 for R 150 mm

Type	A mm	Packaging unit m	Item code
R 75 mm/2,2 m*	75 ±3	171,6	3004076
R 100 mm/2,2 m*	100 ±4	92,4	3004077
m³/ = 1,10       2290 * 780 * 590 mm			
R 150 mm/1,85 m**	153 ±4	14,8	3012186
m³/ = 0,50       2040 * 590 * 390 mm			

**NOMAPACK® O Round R 150 mm in 2,75 m length (Item code 3003708)**  
is only available with a minimum order quantity of 5.632 m.

\* 2.200 mm ±50 mm      \*\* 1.850 mm ±50 mm



## NOMAPACK® O ROUND CUT CORNER

The easy to fix protection for corners.

### COLOUR

White

### BOXES ON PALLET


4

### PACKAGING

Pieces in boxes

Type	A mm	B mm	Packaging unit pcs	Item code
100 - 10	100 ±3	10	1.900	3002519
100 - 15	100 ±3	15	1.500	3002518
100 - 20	100 ±3	20	1.100	3003593
75 - 10	75 ±3	10	3.900	3003592
75 - 15	75 ±3	15	2.750	3002520
75 - 20	75 ±3	20	2.000	3002160

m<sup>3</sup>/ = 0,48

 1200 \* 800 \* 500 mm



# NOMAPACK® SYSTEM

## THE FRAME FOR SENSITIVE GOODS

NOMAPACK® System, the efficient transport protection for sensitive goods. Thanks to its directly extruded, specially developed L-shape with integrated holes, it offers ideal protection against impacts and vibration and is easy to process into a shock absorbing frame.


- › Outstanding protection against shocks and vibrations
- › Tailor-made, adaptable and customer-oriented solutions

### PRODUCT FEATURES:

- › PE-LD foam
- › Density from 24 kg/m<sup>3</sup> to 34 kg/m<sup>3</sup>
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › Cushioning curves available on demand

### APPLICATIONS:

- › High-tech products
- › Medical devices



## NOMAPACK® SYSTEM

The frame profile for light goods which is specially suitable for sensitive surfaces.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	93° ±3	140	3002187
40 mm	40 ±2	85 ±3	85 ±3	40 ±2	93° ±3	84	3002189
50 mm	50 ±2	98 ±3	98 ±3	50 ±2	93° ±3	56	3002193


m³/ = 0,50

2040 \* 590 \* 390 mm

## NOMAPACK® SYSTEM HD

The frame profile for heavy goods

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4



Type	A mm	B mm	C mm	D mm	E °	Packaging unit m	Item code
20 mm	21 ±1	52 ±2	52 ±2	21 ±1	90° ±3	224	3002184
30 mm	30 ±2	63 ±3	63 ±3	30 ±2	90° ±3	140	3002186
40 mm	40 ±2	80 ±2	80 ±2	40 ±2	93° ±3	84	3002188
50 mm	50 ±2	97 ±3	97 ±3	50 ±1	93° ±3	56	3002192

m³/ = 0,50

2040 \* 590 \* 390 mm





# NOMAPACK® C

THE CUSTOMER-SPECIFIC PACKAGING PROFILE

NOMAPACK® C protects corners and edges reliably. The BTH-profile has been specially designed to protect bath ceramics and offers customized solutions for many different applications.

NOMAPACK® C is additionally suitable for use as a spacer for industrial storage.

## PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable

## APPLICATIONS:

- › Bathroom ceramics
- › Distance holder to protect high-polished and sensitive surfaces
- › Total protection for long and narrow goods





## NOMAPACK® C 25X10-10

The Flexible all-round protection for long and narrow items.

**COLOUR** Standard blue **LENGTH** 2.000 mm ±30 mm

**PACKAGING** Lengths in boxes **BOXES ON PALLET** 4



Type	A mm	B mm	C mm	Packaging unit m	Item code
25 x 10 - 10	43 ±1	30 ±2	10 ±1	312	3002197
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm					





## NOMAPACK® C RECTANGULAR

A small spacer for separating sensitive surfaces.

**COLOUR** Standard blue **LENGTH** 2.000 mm ±30 mm

**PACKAGING** Lengths in boxes **BOXES ON PALLET** 4



Type	A mm	B mm	Packaging unit m	Item code
50 x 50	50 ±3	50 ±3	154	3002202
100 x 50	98 ±3	50 ±3	80	3002195
$\text{m}^3 / \text{box} = 0,50$  2040 * 590 * 390 mm				





**NOMAPACK® C BTH**

The total protection for sensitive edges.

<b>COLOUR</b>	<b>LENGTH</b>
Standard blue	2.000 mm ±30 mm
<b>PACKAGING</b>	<b>BOXES ON PALLET</b>
Lengths in boxes	4

Type	A mm	D mm	E mm	Packaging unit m	Item code
BTH	34 ±1	74 ±4	5,5 ±1	120	3002205

m<sup>3</sup>/ = 0,50

 2040 \* 590 \* 390 mm








# NOMA<sup>®</sup> PROTECT

## **LONG-LASTING PROTECTION IN EVERYDAY USE**

Whether impact protection profiles or co-extruded round foams, the diverse products of NOMA<sup>®</sup> PROTECT prevent shocks and injuries by offering numerous application possibilities for the protection of people and goods.



# NOMA® PROTECT TUFF PAD

THE LONG TERM PROTECTION

NOMA® PROTECT Tuff Pad are coextruded round foams with a reinforced outer skin which offers various applications. Ideal to protect our kids while playing and climbing on playgrounds, trampolines or other game areas. NOMA® PROTECT Tuff Pad are always there to prevent injuries and crushes. They cover the complete metallic structure and provide a long term protection.

## PRODUCT FEATURES:

- › PE-LD foam / Outer skin PE-LD
- › Supplied as lengths
- › Water absorption < 1 – vol.% after 40 days
- › Recyclable
- › Relatively UV resistant
- › Conform with norm EN 71-3
- › Pre-slit for easy use
- › Other colours available on request
- › Washable

## APPLICATIONS:

- › Playgrounds, kids playing areas and climbing frames
- › Scaffolding
- › Horse trailer – bar coating
- › Ski areas/ski lifts
- › Diverse



**NOMA® PROTECT TUFF PAD**

The UV resistant pre-slit profile for easy fixation.

**PACKAGING**

Lengths in boxes

**BOXES ON PALLET**

4

**LENGTH**

2.480 mm  $\pm$ 40 mm

Type		Colour	A mm	B mm	Packaging unit m	Item code
52 - 17		orange	52 $\pm$ 1	17 $\pm$ 1	66,96	3003082
52 - 17		yellow	52 $\pm$ 1	17 $\pm$ 1	66,96	3003083
52 - 17		green	52 $\pm$ 1	17 $\pm$ 1	66,96	3003085
52 - 17		light brown	52 $\pm$ 1	17 $\pm$ 1	66,96	3003988
52 - 17		dark brown	52 $\pm$ 1	17 $\pm$ 1	66,96	3003990
52 - 17		silver	52 $\pm$ 1	17 $\pm$ 1	66,96	3003787
52 - 17		light green	52 $\pm$ 1	17 $\pm$ 1	66,96	3003786
52 - 17		ice blue	52 $\pm$ 1	17 $\pm$ 1	66,96	3003858
52 - 17		pink	52 $\pm$ 1	17 $\pm$ 1	66,96	3003788
52 - 17		violet	52 $\pm$ 1	17 $\pm$ 1	66,96	3003789
52 - 17		black	52 $\pm$ 1	17 $\pm$ 1	66,96	3003086
52 - 17		blue	52 $\pm$ 1	17 $\pm$ 1	66,96	3003932
52 - 17		red	52 $\pm$ 1	17 $\pm$ 1	66,96	3003859
52 - 17		cyan	52 $\pm$ 1	17 $\pm$ 1	66,96	3043433*
52 - 17		purple	52 $\pm$ 1	17 $\pm$ 1	66,96	3045069*
52 - 17		turquoise	52 $\pm$ 1	17 $\pm$ 1	66,96	3045458*
52 - 17		white	52 $\pm$ 1	17 $\pm$ 1	66,96	3045455*

m<sup>3</sup>/ = 0,60

2540 \* 590 \* 390 mm

# NOMA® PROTECT TEMPORARY PROTECTION

## THE SHORT TERM PROTECTION

NOMA® PROTECT TEMPORARY Protection 114 x 13/2 m is a solution specially designed to protect door frames and edges whilst construction, renovation or move-around,... Thanks to its flexibility, this pre-slit profile can be easily fixed.

### PRODUCT FEATURES:

- › PE-LD foam
- › Supplied as lengths
- › Water absorption < 1 – vol. % after 40 days
- › Recyclable
- › Easy to fix

### APPLICATIONS:

- › Adheres thanks to its natural clamping force and can be reused many times
- › Protects punctually and prevents from moving damages
- › Can be used on any standard door frame
- › Is available in other sizes and colors (on request)





**NOMA® PROTECT TEMPORARY  
PROTECTION 114X13/2 M**

The easy to fix protection for door and window frames.

COLOUR	LENGTH
Red	2.000 mm ±30 mm
PACKAGING	BOXES ON PALLET
Lengths in boxes	4


Type	A mm	B mm	Packaging unit m	Item code
114 x 13	114 +6/-0	13 ±1	22	3003074

m<sup>3</sup>/ = 0,50

 2040 \* 590 \* 390 mm







# NOMA® PROTECT WARNING PROFILES

NOMA® PROTECT WARNING PROFILES effectively prevent dangers thanks to their striking signal color and provide reliable impact protection through their flexibility. The high-performance adhesive used keeps the profile in place even under difficult conditions.

## PRODUCT FEATURES:

- › Flexible PU foam
- › Permanent adhesive
- › Very good signalisation effect
- › Easy to apply to almost all surfaces (free from dust and grease)
- › Silicone-free
- › Temperature resistant
- › Fire performance: Euroclass E (EN 13501-1)
- › Available in lengths of 1 m or on request in 2 m lengths

## APPLICATIONS:

- › Edge protector
- › Prevention of impact injuries at shelves and corners
- › Production area



**NOMA® PROTECT WARNING PROFILES**

**COLOUR**

Yellow/black


**LENGTH**

1.000 mm\*


**PACKAGING**

Lengths in boxes


Type	Packaging unit m	Item code
WP C 40 x 28 mm	6	3044628
m <sup>3</sup> / = 0,01     1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP C 50 x 25 mm	6	3044629
m <sup>3</sup> / = 0,01     1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP P 40 x 11 mm	12	3044631
m <sup>3</sup> / = 0,01     1030 * 130 * 80 mm		




Type	Packaging unit m	Item code
WP L 32 x 22 mm	12	3044630
m <sup>3</sup> / = 0,01     1030 * 130 * 80 mm		





\*Length of 2.000 m on request





## NOMA® PROTECT


Type	Packaging unit m	Item code
WP U 39 x 36 mm	6	3044728
$\text{m}^3 / \text{box} = 0,01$  1030 * 130 * 80 mm		





Type	Packaging unit m	Item code
WP L 54 x 41 mm	6	3044729
$\text{m}^3 / \text{box} = 0,01$  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP U 27 x 30 mm	6	3044730
$\text{m}^3 / \text{box} = 0,01$  1030 * 130 * 80 mm		



Type	Packaging unit m	Item code
WP P 40 x 28 mm	6	3044727
$\text{m}^3 / \text{box} = 0,01$  1030 * 130 * 80 mm		





# NOMAFOAM®

Your foam specialist with a wide range of standard products and well thought out customer-specific solutions. We use our know-how to provide a bespoke, individual and sustainable solution for all your foam applications.



## **PROCESSING**

Our core skill lies in the development, production and international marketing of technical foams. We have mastered the required technological methods in order to process raw materials and combine them in a complex and precise production process.

Our products' varied range of applications can be customized by means of additional processing. Countless techniques and options are available for further improving products during or following the production process. Naturally we work closely with our customers to collectively devise the best possible solution.

### **EXTRUSION**

Extrusion is the ability to create technical ambitious foam profiles; cross-linked or non-cross-linked sheets and rolls for both standard and custom designed specifications. Thanks to many years of experience, we are able to combine and optimise the whole process and production chain. Various densities, colours, tailor made profiles and foils are also available upon request. Coextrusion is a production process of foam in which two or more compatible feed materials are merged together. Foam profiles can be coated with an additional layer of non foamed material in various colours or they can be re-inforced with an additional coating to increase for example their mechanical or UV resistance.

### **LAMINATING**

Lamination is the technique of manufacturing a material in multiple layers, so that the composite material achieves improved strength, sound insulation, appearance or other properties. Whether it will be foam on foam or semi-finished material lamination, high emissivity aluminum foil or hook and loop fastener – there are many possibilities.

### **THERMOFORMING**

Thermoforming is a manufacturing process where a foam product is heated and formed to a specific shape in a mould and finally trimmed to create a finished product. A wide range of extremely complex design criteria can be met and even three dimensional products can be realized.

### **CONVERSION**

#### **ADHESIVE**

We are able to apply different types of adhesives to join materials together; either with a hot melt or an adhesive tape. The adhesion can be permanent or removable, adapted to a specific temperature range. We offer a great choice of possibilities.

#### **CUTTING**

Extruded profiles or foils and sheets could be upgraded by additional mechanical process like cutting, milling or stamping. According to customer requirement they can be for example, equipped with special cuts to make them more flexible and elastic. Foam profiles can be finished partially cut to simplify handling and avoid waste material.

## **NOMATEC®**

### **PERFORMANCE UPGRADE FOR YOUR PRODUCTS**

Our manufacturing processes enable us to offer custom-made, technically advanced components for your finished products or specific applications. Our engineers will work alongside your experts to deliver the perfect foam solution customised to your individual requirements.



## **CONVERTING**

### **THE RIGHT FOAM BENEFIT FOR YOU**

We will work together to develop innovative, customer-oriented products. From the smallest order to the largest bulk order, we guarantee flawless service. By using the most versatile foam materials in the widest array of versions, along with our processing options and possible finishing processes, we can manufacture high-value, highly specific products to your requirements.

To help you bring your project to fruition, please feel free to contact us without obligation or find us on [www.nmc-nomafoam.com](http://www.nmc-nomafoam.com).

# CONTACT



## BE - BELGIUM

### NMC sa

Gert-Noël-Strasse

B-4731 Eynatten

Phone: +32 87 85 85 00

Fax: +32 87 85 85 11

Email: [info@nmc.eu](mailto:info@nmc.eu)

## DE - GERMANY

### NMC Deutschland GmbH

Weiherhausstrasse, 8b

D-64646 Heppenheim

Phone: +49 6252 967-0

Email: [info@nmc-deutschland.de](mailto:info@nmc-deutschland.de)

## FR - FRANCE

### NMC France sas

Zone Industrielle de la Forêt

97, route d'Anor - CS 10103

F-59613 Fourmies Cedex

Phone: +33 3 27 60 81 00

Fax: +33 3 27 59 98 55

Email: [info@nmc-france.fr](mailto:info@nmc-france.fr)

## IT - ITALY

### NMC Italia s.r.l.

Via A. Volta 27/29

I-20042 Pessano con Bornago (Milano)

Phone: +39 02 955 454-1

Fax: +39 02 955 454-30

Email: [info@nmc-italia.it](mailto:info@nmc-italia.it)



#### UK - UNITED KINGDOM

##### NMC UK Ltd.

Tafarnaubach Industrial Estate  
UK-NP22 3AA Tredegar, South Wales  
Phone: +44 1495 71 32 66  
Fax: +44 1495 71 32 77  
Email: [enquiries@nmc-uk.com](mailto:enquiries@nmc-uk.com)

#### NO - NORWAY

##### NMC Norge AS

Tuneveien 89  
NO-1712 Grålum  
Phone: +47 47 45 60 44  
Email: [info@nmc-norge.no](mailto:info@nmc-norge.no)

#### SE - SWEDEN

##### NMC Sverige AB

Stenstorpsvägen 35, Box 103  
SE-305 75 Getinge  
Phone: +46 35 588 00  
Fax: +46 35 588 90  
Email: [info@nmc.se](mailto:info@nmc.se)

##### NMC Cellfoam AB

Fritslavägen 82 - Box 4081  
SE-511 04 Kinnahult  
Phone: +46 320 210 900  
Fax: +46 320 210 901  
Email: [info.cellfoam@nmc.se](mailto:info.cellfoam@nmc.se)

#### FI - FINLAND

##### NMC Cellfoam Oy

Eturuskonkatu 2  
FI-33720 Tampere  
Phone: +358 29 7010 1200  
Fax: +358 3 379 1316  
Email: [sales@cellfoam.fi](mailto:sales@cellfoam.fi)

##### NMC Termonova Oy

Torppanummentie 44  
FI-10210 Inkoo  
Phone: + 358 (0) 207 809 600  
Fax: + 358 (0) 207 809 601  
Email: [info@termonova.fi](mailto:info@termonova.fi)

#### PL - POLAND

##### NMC Polska Sp.Zo.o.

Ul. Pyskowicka 15  
PL-41807 Zabrze  
Phone: + 48 32 373 24 36  
Email: [biuro@nmc.pl](mailto:biuro@nmc.pl)

#### RU - RUSSIA

##### NMC RUS LLC.

Kronshtadtsky blvd, 7  
3rd floor, area 1, room 41  
RU-125212 Moscow  
Phone: +7 495 232 69 58  
e-mail: [vopros@nmcrus.ru](mailto:vopros@nmcrus.ru)

VISIT US ON:



NMC reserves the right to update the product line or its technical features to the state-of-the-art technology anytime and without previous announcement. All given information is to the best of our knowledge. If you have any questions concerning technical details please contact the NMC information service. Any partial reproduction or reprint shall require our explicit approval.



